

<u>Donning and Doffing Personal Protective Equipment when undertaking</u> <u>Non - Aerosol Generating Procedure (NAGPs) in a patient requiring</u> <u>respiratory precautions (i.e. with suspected/confirmed respiratory infection)</u>

The following are NOT Considered to be AGPs

Manual facemask ventilation

Administration of pressurised humidified oxygen

Non-invasive ventilation (NIV) including CPAP

High flow nasal oxygen (HFNO)

Insertion or removal of supraglottic airways

Administration of Entonox

Administration of medication via nebulization

Taking a nasopharyngeal swab

The following are considered AGPs

Awake* bronchoscopy

Awake* ear, nose, and throat (ENT) airway

procedures that involve respiratory suctioning

Awake* upper gastro-intestinal endoscopy

Cardiopulmonary resuscitation (CPR)

Dental procedures (using high speed or high

frequency devices, for example ultrasonic scalers/high

speed drills)

Induction of sputum

Open respiratory tract suctioning

Surgery or post-mortem procedures (like high speed cutting / drilling) likely to produce aerosol from the

respiratory tract (upper or lower) or sinuses.

Tracheostomy procedures (insertion or removal)

Tracheal intubation and extubation

Donning PPE in isolation room with lobby

Don PPE in Lobby Room

Apron Surgical Mask Gloves

PLUS if risk of significant bodily fluid exposure, goggles/face visor if

(The above must be worn if staff member is expecting to be within 2 metres of patient)

Doffing PPE in isolation room with lobby

(Start in patient's room standing near sink and bin, well away from patient)

- Remove gloves (roll off) and discard into foot operated
 hin
 - 2. Wash hands with soap and water, dry hands
 - 3. Remove apron, roll down and try not to touch the outside, discard into foot operated bin
- 4. Remove eye protection (if worn) and discard into foot operated bin
 - 5. Exit room into lobby
 - 6. Gel hands
- 7. Remove surgical mask and discard to foot operated bin
 - 8. Wash hands with soap and water, dry hands
 - 9. Exit lobby and shut door
 - 10. Gel Hands outside the lobby

Donning PPE in side room without lobby or for a cohort bay

Apron
Surgical Mask
Goggles/face visor (if worn)
Gloves

<u>Doffing PPE in side room without lobby or for a</u> <u>cohort bay</u>

- Follow steps 1 to 4 above
- Wash hands with soap and water, dry hands
 - Exit the side room or cohort bay
- Remove surgical mask and discard to designated foot operated bin
 - Decontaminate hands with gel

^{*}Awake includes 'conscious' sedation (excluding anaesthetised patients with secured airway).